
# Extruded aluminum profile





### **Features**

The BOS Channel linear aluminum extrusion has been designed to fit many LED lighting needs. Multiple mounting and lens options allow for great flexibility and adaptability for any application. Extrusion and diffuser lenses are also field cuttable. Substantial aluminum mass in profile provides excellent heat sink for high power LEDs. Channels come with specified Mounting Clips and End Caps.

## **Finish**

Silver anodized, White, Black, Bronze

Polycarbonate, snap-in-place, UV resistant

## Mounting

Multiple mounting clips


## Warranty

7 Years

Declare. 

MADE IN

## **Product Dimensions**



INCLUDED	MOUNTING	ACCESSORIES

EXTRUSION LENGTH	FIXED CLIP	SCREW-IN/MAGNETIC/ADJUSTABLE	END CAP PAIR
48"	48"	3	1
72"	72"	3	1
96″	96"	4	1
120″	120"	4	1
144"	144"	5	1

Each pair of endcaps includes 1x H3 (no wire feed hole) and 1x H4 (with hole) where applicable. Additional endcaps and mounting clips are available for purchase.

# TRANSMISSION PERCENTAGE (COMPARED TO LED TAPE WITHOUT CHANNEL)

(00), 11, 11, 12, 13, 14, 17, 11, 12, 17, 11, 12, 17, 17, 17, 17, 17, 17, 17, 17, 17, 17		
LENS	TRANSMISSION %	
Grazed	76%	
Satin Ice	66%	
Raised	60%	
Frosted	52%	

See LED tape spec sheet for lens dotting characteristics & compatibility


## **Ordering Code**

MODEL .	LENGTH	LENS	MOUNTING <sup>2</sup>	FINISH <sup>4</sup>
BOSC-Bosc Channel <sup>1</sup>	<b>48</b> -48" <b>72</b> -72" <b>96</b> -96" <sup>3</sup> <b>120</b> -120" <sup>3</sup>	F-Frosted SI-Satin Ice G-Graze R-Raised	FC-Fixed Clip SC-Screw-In MAG-Magnetic A-Adjustable Hinge Mounting	BASE SA-Silver Anodized  POWDER COATED
	<b>144</b> -144″ <sup>3</sup>			BK-Black BZ-Bronze WH-White

- 1 End Caps are included with channel, one of H3 (no hole) and one of H4 (with hole). Order additional End Caps as necessary.
   2 Mounting Clips are included with channel. Refer to chart above for provided mounting clip quantities. Order additional Mounting Clips as necessary.
   3 For Channels and Lenses over 96", incremental shipping charges will apply.
   4 Non Base finishes may have extended lead times. Custom RALs are available, please consult Inside Sales with specific request.



## **Bosca Channel Corner Options**




Dimensions measured from the mounting surface

Dimensions measured for the length of the outer (longer) edge of the extrusion

Dimensions measured from the mounting surface

# **Ordering Code**




- End Caps are not included with channel, order End Caps as necessary.

  Custom Corner angle are available upon request.

  2 Mounting Clips are included with each corner. Order additional Mounting Clips as necessary.

  Powder Coat finishes may have extended lead times. Custom RAIs are available, please consult Inside Sales with specific request.

## **Mounting Clips**



# Extruded aluminum profile



All Channels come with a specified set of Mounting Clips and End Caps, see Ordering Code for details. Order additional Mounting Clips and End Caps as necessary.

SA

WH

BK

Silver Anodized

White


Black

Bronze


## **Mounting Clips**

### MC-BOSC-SNAP-XX


Fixed Clip available in 48", 72", 96", 120", 144"



## MB-BOSC-XX Screw-in mounting bracket




MB-BOSC-MAG Magnetic bracket



### MB-BOSC-A-XX


Adjustable Mounting Bracket\*




<sup>\*</sup>Not available with corners

## **Endcaps**

EC-BOS-F-H4-XX Endcap with powerfeed opening




EC-BOS-G-H4-XX Endcap with powerfeed opening




## EC-BOS-G-H3-XX

Endcap without powerfeed opening




EC-BOS-R-H4-XX Endcap with powerfeed opening




## EC-BOS-R-H3-XX

Endcap without powerfeed opening



### EC-BOS-F-H3-XX Endcap without powerfeed opening



XX	Color	
SA	Silver Anodized	
WH	White	
BK	Black	
BZ	Bronze	