

**Features**





The Slot Channel is a linear aluminum extrusion that has been designed for mud-in installations. Substantial aluminum mass in profile provides excellent heat sink for high power LEDs. Mounting brackets and endcaps are sold separately.

**Diffuser Lens**  
Silicone

**Warranty**  
7 Years

**Declare.** MADE IN U.S.A.

**Product Dimensions**



\*Only ordered when purchasing separate roll lens (page 3)

**TRANSMISSION PERCENTAGE**  
(COMPARED TO LED TAPE WITHOUT CHANNEL)

LENS	TRANSMISSION %
Frosted Lens	39%

See LED tape spec sheet for lens dotting characteristics & compatibility



**Ordering code**

MODEL	LENGTH <sup>1</sup>	LENS	MOUNTING	FINISH
SLC - Slot Channel <sup>1</sup>	48 - 48" 72 - 72" 92 - 92" <sup>3</sup>	F - Frosted N - None	GDS - Gypsum Drywall Surface	MILL-Mill

1 - For Channels and Lenses over 96", incremental shipping charges will apply.  
2 - Two End Caps are included with channel. Joiners are not included. Order joiner brackets as necessary



Slot Channel Corner Options

**SLC-IC-90**  
Inner Corner





Dimensions measured for the length of recessed needed

**SLC-FC-90**  
Flat Corner



Dimensions measured for the length of the outer (longer) length or the recessed needed

**SLC-OC-90**  
Outside Corner



Dimensions measured for the length of recessed needed

Ordering Code


MODEL	CORNER TYPE	CORNER ANGLE	LENS	MOUNTING <sup>2</sup>	FINISH
SLC-Slot Channel <sup>1</sup>	IC-Inner Corner FC-Flat Corner OC-Outer Corner	90-90°	F-Frosted N-None	GDS-Gypsum Drywall Surface	MILL-Mill

1 - End Caps are not included with corner channel, order End Caps as necessary.  
 2 - Custom Corner angle are available upon request.  
 3 - 2 Joiners pairs are included with each corner. Order additional Joiners as necessary.

**Accessories**


**CH-SLOT-MB-KIT**

Pair of Joiner Brackets, screws included




**EC-SLC-H3**

Endcap, screws included



**CH-SLOT-CM-XX**


Order in 10' increments up to 160'



Pair with Slot Channel ("No lens" option in extrusion ordering code) for continuous, seamless runs extending past 92'. Field cuttable, order in 10ft increments up to 160ft.

**JB-SLC**

Slot Junction Box



**CP-SLC-SA**

Cover plate - for hiding dark spots from LED wire management

