

# Installation Instructions - Hero Monopoint

Models HER06-MP, HER10-MP

**Please read all instructions prior to installation and keep for future reference!**

1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.
2. NEVER ATTEMPT ANY WORK WITHOUT SHUTTING OFF ELECTRICITY AT MAIN FUSE BOX OR BREAKER PANEL.
3. USE ONLY WITH CLASS 2 POWER UNIT.
4. FIXTURE SHOULD BE INSTALLED BY TWO PEOPLE.
5. 24 VOLTS DC.
6. SUITABLE FOR DAMP LOCATIONS.
7. MIN 90C SUPPLY CONDUCTORS.




REVO.1  
08042026

1 / 4

**glint**  
by luminii  
7777 Merrimac Ave  
Niles, IL 60714  
T 224.333.6033  
F 224.757.7557  
info@luminii.com  
www.luminii.com

**Please read all instructions prior to installation and keep for future reference!**



# Installation Instructions - Hero Monopoint

Models HER06-MP, HER10-MP

Please read all instructions prior to installation and keep for future reference!

1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.
2. NEVER ATTEMPT ANY WORK WITHOUT SHUTTING OFF ELECTRICITY AT MAIN FUSE BOX OR BREAKER PANEL.
3. USE ONLY WITH CLASS 2 POWER UNIT.
4. FIXTURE SHOULD BE INSTALLED BY TWO PEOPLE.
5. 24 VOLTS DC.
6. SUITABLE FOR DAMP LOCATIONS.
7. MIN 90C SUPPLY CONDUCTORS.




REVO.1  
08042026

2 / 4

**glint**  
by luminii  
7777 Merrimac Ave  
Niles, IL 60714  
T 224.333.6033  
F 224.757.7557  
info@luminii.com  
www.luminii.com

## Exploded View



# Installation Instructions - Hero Monopoint

Models HER06-MP, HER10-MP

Please read all instructions prior to installation and keep for future reference!





1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.
2. NEVER ATTEMPT ANY WORK WITHOUT SHUTTING OFF ELECTRICITY AT MAIN FUSE BOX OR BREAKER PANEL.
3. USE ONLY WITH CLASS 2 POWER UNIT.
4. FIXTURE SHOULD BE INSTALLED BY TWO PEOPLE.
5. 24 VOLTS DC.
6. SUITABLE FOR DAMP LOCATIONS.
7. MIN 90C SUPPLY CONDUCTORS.



REVO.1  
08042026

3 / 4

**glint**  
by luminii  
7777 Merrimac Ave  
Niles, IL 60714  
T 224.333.6033  
F 224.757.7557  
info@luminii.com  
www.luminii.com



# Installation Instructions - Hero Monopoint

Models HER06-MP, HER10-MP

Please read all instructions prior to installation and keep for future reference!


1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.
2. NEVER ATTEMPT ANY WORK WITHOUT SHUTTING OFF ELECTRICITY AT MAIN FUSE BOX OR BREAKER PANEL.
3. USE ONLY WITH CLASS 2 POWER UNIT.
4. FIXTURE SHOULD BE INSTALLED BY TWO PEOPLE.
5. 24 VOLTS DC.
6. SUITABLE FOR DAMP LOCATIONS.
7. MIN 90C SUPPLY CONDUCTORS.




REVO.1  
08042026

4 / 4


**glint**  
by luminii  
7777 Merrimac Ave  
Niles, IL 60714  
T 224.333.6033  
F 224.757.7557  
info@luminii.com  
www.luminii.com




**5.1** Secure the mounting plate to the junction box with the provided screws.



**6.1** Attach the canopy to the mounting plate using the screws shown.



**7.1** Fasten the fixture to complete installation and ensure it sits flush and secure.



**8.1** Hero is powered by innovative Light Shift technology, where the direction of its light beam is adjusted by the joystick on the front face. The adjustment is locked by a single, recessed lock screw.

Turn the recessed (a) lock screw counter-clockwise with a 1.5 mm hex key to unlock the joystick.

Adjust beam direction by moving the (b) joystick in the desired direction. The joystick should move smoothly with light resistance, loosen lock screw further if it is hard to move.

Tighten the lock screw to finger tightness, it is not necessary to overtighten.