



Features

The MREC Channel is a linear aluminum extrusion that has been designed to wall mounted cove applications. Multiple reflector options allow for great flexibility and adaptability for any application. Also includes clear cover to avoid any debris from entering the extrusion. Extrusion is field cuttable. Substantial aluminum mass in profile provides excellent heat sink for high power LEDs.

Finish

- Paint Ready

Mounting

- Mounting Bracket

Cover


- Polycarbonate
- Slide-in-place,
- UV resistant

Warranty


- 7 Years

Declare. 

Product dimensions



Reflector options



INCLUDED MOUNTING ACCESSORIES

EXTRUSION LENGTH	MOUNTING CLIPS (ALL TYPES)	ENDCAP PAIR
72"	3	1
144"	5	1

Additional endcaps and mounting clips are available for purchase.

TRANSMISSION PERCENTAGE (COMPARED TO LED TAPE WITHOUT CHANNEL)

LENS	TRANSMISSION %
Clear Lens	91%

See LED tape spec sheet for lens dotting characteristics & compatibility
Use complete Dotting Chart Tool online for more dotting information ([Link](#))


Ordering Code

MODEL	LENGTH	REFLECTOR	LENS	FINISH
MRECC - mREC Channel	72 - 72" 144 - 144*1	LT - Long Throw TT - Tall Throw	C - Clear	PR - Paint Ready

1 - For Channels and Lenses over 96", incremental shipping charges will apply.

All accessories sold separately.

Mounting Bracket




ORDERING CODE

MB-MRECC

MB-MRECC - MREC Channel mounting bracket

End Caps




ORDERING CODE

EC-MRECC - **H3** - **PR**

EC-MRECC-H3 - MREC Channel end cap

PR - Paint ready

mCAL Channel Clear Lens



ORDERING CODE

MCAL-C-144

MCAL-C-144 - Clear Lens, 144"

*Standard included on MCAL order code

