Models RUN-XX-S-XX

Please read all instructions prior to installation and keep for future reference!

- 2. USE ONLY WITH CLASS 2 POWER UNIT.
- 3. 24 VOLTS DC
- 4. SUITABLE FOR DAMP LOCATIONS.
- 1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN. 5. MORE THAN ONE PERSON IS RECOMMENDED FOR THIS INSTALLATION
 - 6. FIXTURE SHOULD BE INSTALLED BY TWO PEOPLE.






7777 Merrimac Av Niles, IL 60714 T 224.333.6033 F 224.757.7557 info@luminii.com www.luminii.com

REVO.2 12312024


1/4




Note: Prior to installation all 24VDC wires must be present in junction box. Refer to the power supply installation instruction for additional information.

Note: More than one person is recommended for this installation.

Align one standoff hub to the junction box & measure the distance from standoff hub to the other hub. Then mark this location to the ceiling. Use canopy details to slighting off center standoff hub.




- On the marked location(s), make a hole using a 13/64" drill bit.
- **2.2** Insert the anchor into the hole and push completely in.
- 2.3 Insert wood screw through cap & washer and then tighten to secure into the anchors.



Note: Prior to wiring the desired fixture height must be determined to cut off any un-necessary wire.

- **3.1** While one person is holding the fixture, the other person can slide the coaxial cable end through the clear o-rings, thumb nut, backplate & crossbar assembly.
- **3.2** Peel back the coaxial cable to expose the power wires. Connect the red (24VDC+) & black (24VDC-) power supply wires to the fixture red & black wires.



- Insert the wire nut connections into the junction box & align the crossbar to the junction box holes and secure using the provided two #8-32 screw.
- Slide the backplate up to the crossbar and secure by hand tightening the thumb nut into the crossbar.

Models RUN-XX-S-XX

Please read all instructions prior to installation and keep for future reference!

- 1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN. 5. MORE THAN ONE PERSON IS RECOMMENDED 2. USE ONLY WITH CLASS 2 POWER UNIT.
- 3. 24 VOLTS DC
- 4. SUITABLE FOR DAMP LOCATIONS.
- FOR THIS INSTALLATION
- 6. FIXTURE SHOULD BE INSTALLED BY TWO PEOPLE.







REVO.2 12312024

2/4


Niles, IL 60714 T 224.333.6033 F 224.757.7557 info@luminii.com www.luminii.com



- Untangle each aircraft cable and insert into the threaded post 5.1 until the cable stopper.
- **5.2** Push on the standoff hub tab and feed the aircraft cable into the standoff hub until necessary. Release tab to secure in place. For the aircraft cable closest to the coaxial cable slide through the o-rings on the coaxial cable first.
- **5.3** Remove the clear protective film from the face of the lens.



- Tighten each threaded post into a cap, one will be on the backplate and other(s) on the ceiling. If fixture not leveled, adjustments can be made by pushing on the standoff hub tab. Then either feed more cable into the standoff hub or pull out cable from the standoff hub and release to secure.
- **6.2** Cut off any extra aircraft cable from the standoff hub hole.



Models RUN-XX-S-XX

Please read all instructions prior to installation and keep for future reference!

- 1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN. 5. MORE THAN ONE PERSON IS RECOMMENDED
- 2. USE ONLY WITH CLASS 2 POWER UNIT.
- 3. 24 VOLTS DC.
- 4. SUITABLE FOR DAMP LOCATIONS.
- FOR THIS INSTALLATION
- 6. FIXTURE SHOULD BE INSTALLED BY TWO PEOPLE.






7777 Merrimac Ave Niles, IL 60714 T 224.333.6033 F 224.757.7557 info@luminii.com www.luminii.com

REVO.2 12312024

3 / 4



Models RUN-XX-S-XX

Please read all instructions prior to installation and keep for future reference!

- 1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN. 5. MORE THAN ONE PERSON IS RECOMMENDED
- 2. USE ONLY WITH CLASS 2 POWER UNIT.
- 3. 24 VOLTS DC. 4. SUITABLE FOR DAMP LOCATIONS.
- FOR THIS INSTALLATION
- 6. FIXTURE SHOULD BE INSTALLED BY TWO PEOPLE.



REVO.2

12312024

7777 Merrimac Ave Niles, IL 60714 T 224.333.6033 F 224.757.7557 info@luminii.com

www.luminii.com

4/4

Power Supply Wiring Diagram

Note: Prior to installation all 24VDC wires must be present near fixture. Refer to the power supply installation instructions for additional information.



Static White Wiring Diagram PDF



RGB/RGBW Wiring Diagram PDF



Warm Dim Wiring Diagram PDF



Pixel Wiring Diagram PDF



Tunable White Wiring Diagram PDF