

To: [REDACTED]
From: [REDACTED]
Sent: Wed 11/9/2011 11:12:59 PM
Subject: Re: Ivory Coast CDC Health Information

It looks pretty thorough to me!

On Nov 9, 2011, at 6:11 PM, [REDACTED] wrote:

I did. Do you think it's what he wants? I was a bit scared of him today !!

Sent from my iPhone

On Nov 9, 2011, at 5:43 PM, [REDACTED] > wrote:

thanks [REDACTED]. did you send this to JE as well?

On Nov 9, 2011, at 3:21 PM, [REDACTED] wrote:

P
r
e
p
a
r
i
n
g
f
o
r
Y
o
u
r
T
r
i
p
t
o
C
ô
t
e
d'

Iv
oi
r
e

B
ef
or
e
vi
si
ti
n
g
C
ôt
e
d'
Iv
oi
re
,
y
o
u
m
ay
n
e
e
d
to
g
et
th
e
fo
ll
o
wi
n
g
va
cc
in
at
io
n
s
a
n
d
m
e
di
ca

ti
o
n
s
fo
r
va
cc
in
e-
pr
ev
e
nt
a
bl
e
di
se
as
es
a
n
d
ot
h
er
di
se
as
es
y
o
u
m
ig
ht
b
e
at
ri
sk
fo
r
at
y
o
ur
d
es
ti
n
at
io
n:
(
N

ot
e:
Yo
ur
do
ct
or
or
he
alt
h-
ca
re
pr
ov
id
er
wi
ll
de
te
r
mi
ne
w
ha
t
yo
u
wi
ll
ne
ed
,
de
pe
nd
in
g
on
fa
ct
or
s
su
ch
as
yo
ur
he
alt
h
an
d
im
m
un

ization history, areas of the country you will be visiting, and planned activities.)

To have them most benefit, see a health-care

re
pr
ov
id
er
at
le
as
t
4-
6
w
ee
ks
be
fo
re
yo
ur
tri
p
to
all
o
w
ti
m
e
fo
r
yo
ur
va
cci
ne
s
to
ta
ke
ef
fe
ct
an
d
to
st
ar
t
ta
ki
ng
m
ed
ici
ne
to
pr

ev
en
t
m
al
ari
a,
if
yo
u
ne
ed
it.

Ev
en
if
yo
u
ha
ve
le
ss
th
an
4
w
ee
ks
be
fo
re
yo
u
le
av
e,
yo
u
sh
ou
ld
sti
ll
se
e
a
he
alt
h-
ca
re
pr
ov
id
er
fo

r
ne
ed
ed
va
cci
ne
s,
an
ti-
m
al
ari
a
dr
ug
s
an
d
ot
he
r
m
ed
ic
ati
on
s
an
d
inf
or
m
ati
on
ab
ou
t
ho
w
to
pr
ot
ec
t
yo
ur
se
lf
fr
o
m
ill
ne
ss
an
d

inj
ur
y
w
hil
e
tr
av
eli
ng
.

C
D
C
re
co
m
m
en
ds
th
at
yo
u
se
e
a
he
alt
h-
ca
re
pr
ov
id
er
w
ho
sp
ec
ial
iz
es
in
Tr
av
el
M
ed
ici
ne
.
Fi
nd
a
tr

av
el
m
ed
icl
ne
cli
ni
c
ne
ar
yo
u.
If
yo
u
ha
ve
a
m
ed
ic
al
co
nd
iti
on
,
yo
u
sh
ou
ld
al
so
sh
ar
e
yo
ur
tr
av
el
pl
an
s
wi
th
an
y
do
ct
or
s
yo
u
ar

e
cu
rr
en
tly
se
ei
ng
fo
r
ot
he
r
m
ed
ic
al
re
as
on
s.

If
yo
ur
tr
av
el
pl
an
s
wi
ll
ta
ke
yo
u
to
m
or
e
th
an
on
e
co
un
tr
y
du
ri
ng
a
si
ng
le
tri

p,
be
su
re
to
let
yo
ur
he
alt
h-
ca
re
pr
ov
id
er
kn
o
w
so
th
at
yo
u
ca
n
re
ce
iv
e
th
e
ap
pr
op
ria
te
va
cci
na
tio
ns
an
d
inf
or
m
ati
on
fo
r
all
of
yo
ur
de

sti
na
tio
ns
.
Lo
ng-
te
r
m
tr
av
el
er
s,
su
ch
as
th
os
e
w
ho
pl
an
to
w
or
k
or
st
ud
y
ab
ro
ad
,
m
ay
al
so
ne
ed
ad
dit
io
na
l
va
cci
na
tio
ns
as
re
qu
ire

d
by
th
eir
e
m
pl
oy
er
or
sc
ho
ol.

**B
e
s
ur
e
y
o
ur
ro
ut
in
e
va
cc
in
at
io
n
s
ar
e
u
p-
to-
d
at
e.
C
h
ec
k
th
e
li
n
ks
b
el
o
w
to
se
e**

w
h
i
c
h
v
a
c
c
i
n
a
t
i
o
n
s
a
d
u
l
t
s
a
n
d
c
h
i
l
d
r
e
n
s
h
o
u
l
d
g
e
t
.

R
o
u
t
i
n
e
v
a
c
c
i
n
e
s
,
a
s
t
h
e
y
a
r
e
o
f
t
e
n
c
a
l
l
e
d,
s
u
c
h
a
s
f
o
r

inf
lu
en
za
,
ch
ic
ke
np
ox
(o
r
va
ric
ell
a)
,
po
lio
,
m
ea
sl
es
/
m
u
m
ps
/r
ub
ell
a
(M
M
R)
,
an
d
di
ph
th
eri
a/
pe
rt
us
sis
/t
et
an
us
(D
PT
)
ar
e

gi
ve
n
at
all
st
ag
es
of
lif
e;
se
e
th
e
ch
ild
ho
od
an
d
ad
ol
es
ce
nt
im
m
un
iz
ati
on
sc
he
du
le
an
d
ro
uti
ne
ad
ult
im
m
un
iz
ati
on
sc
he
du
le.

Ro
uti
ne

va
cci
ne
s
ar
e
re
co
m
m
en
de
d
ev
en
if
yo
u
do
no
t
tr
av
el.
Al
th
ou
gh
ch
ild
ho
od
di
se
as
es
,
su
ch
as
m
ea
sl
es
,
ra
rel
y
oc
cu
r
in
th
e
U
nit
ed

St
at
es
,
th
ey
ar
e
sti
ll
co
m
m
on
in
m
an
y
pa
rt
s
of
th
e
w
orl
d.
A
tr
av
el
er
w
ho
is
no
t
va
cci
na
te
d
w
ou
ld
be
at
ris
k
fo
r
inf
ec
tio
n.

V

a
c
c
i
n
e-
p
r
e
v
e
n
t
a
b
l
e
D
i
s
e
a
s
e
s

V
a
c
c
i
n
e
r
e
c
o
m
m
e
n
d
a
t
i
o
n
s
a
r
e
b
a
s
e
d
o
n
t
h
e
b
e
s
t
a

v
ail
a
bl
e
ri
sk
in
fo
r
m
at
io
n.
Pl
e
as
e
n
ot
e
th
at
th
e
le
v
el
of
ri
sk
fo
r
v
ac
ci
n
e-
pr
e
v
e
nt
a
bl
e
di
se
as
es
ca
n
c
h
a
n
g
e
at

a
n
y
ti
m
e.

Vaccination or Disease	Recommendations or Requirements for Vaccine-Preventable Diseases
<u>Routine</u>	Recommended if you are not up-to-date with routine shots, such as measles/mumps/rubella (MMR) vaccine, diphtheria/pertussis/tetanus (DPT) vaccine, poliovirus vaccine, etc.
<u>Hepatitis A</u> or immune globulin (IG)	Recommended for all unvaccinated people traveling to or working in countries with an intermediate or high level of hepatitis A virus infection (see map) where exposure might occur through food or water. Cases of travel-related hepatitis A can also occur in travelers to developing countries with "standard" tourist itineraries, accommodations, and food consumption behaviors.
<u>Hepatitis B</u>	Recommended for all unvaccinated persons traveling to or working in countries with intermediate to high levels of endemic HBV transmission (see map), especially those who might be exposed to blood or body fluids, have sexual contact with the local population, or be exposed through medical treatment (e.g., for an accident).
<u>Typhoid</u>	Recommended for all unvaccinated people traveling to or working in West Africa, especially if staying with friends or relatives or visiting smaller cities, villages, or rural areas where exposure might occur through food or water.
<u>Polio</u>	Recommended for adult travelers who have received a primary series with either inactivated poliovirus vaccine (IPV) or oral polio vaccine (OPV). They should receive another dose of IPV before departure. For adults, available data do not indicate the need for more than a single lifetime booster dose with IPV.

<u>Yellow Fever</u>	Requirements: Required upon arrival from all countries for travelers ≥ 1 year of age. Recommendations: <i>Recommended</i> for all travelers ≥ 9 months of age. Vaccination should be given 10 days before travel and at 10-year intervals if there is on-going risk. Find an authorized U.S. yellow fever vaccination clinic.
<u>Meningococcal (meningitis)</u>	Recommended if you plan to visit countries that experience epidemics of meningococcal disease during December through June (see map).
<u>Rabies</u>	Recommended for travelers spending a lot of time outdoors, especially in rural areas, involved in activities such as bicycling, camping, or hiking. Also recommended for travelers with significant occupational risks (such as veterinarians), for long-term travelers and expatriates living in areas with a significant risk of exposure, and for travelers involved in any activities that might bring them into direct contact with bats, carnivores, and other mammals. Children are considered at higher risk because they tend to play with animals, may receive more severe bites, or may not report bites.

M
a
l
a
r
i
a

Ar
e
as
of
C
ôte
d'Ivoire
with
Mal

aria:
All
(
m
or
e
inf
or
m
ati
on
)
If
yo
u
wi
ll
be
vi
sit
in
g
an
ar
ea
of
Côte
d'I
voire
with
mal
aria,
you
will
need
to
disc
uss
with
your
do
ctor

or
th
e
be
st
w
ay
s
fo
r
yo
u
to
av
oi
d
ge
tti
ng
sic
k
wi
th
m
al
ari
a.
W
ay
s
to
pr
ev
en
t
m
al
ari
a
in
cl
ud
e
th
e
fol
lo
wi
ng
:

•
a
k

ආරක්ෂා සහතිකයක් ලෙස පමණක් භාවිත කරන්න. මෙය සියලුම අවස්ථාවන්හිදී ආරක්ෂා කළ යුතු වේ. මෙය සියලුම අවස්ථාවන්හිදී ආරක්ෂා කළ යුතු වේ.



All of the following animals

ari
al
dr
ug
s
ar
e
eq
ua
l
op
tio
ns
fo
r
pr
ev
en
tin
g
m
al
ari
a
in
Cò
te
d'I
vo
ire
;A
to
va
qu
on
e-
pr
og
ua
nil
,
do
xy
cy
cli
ne
,
or
m
efl
oq
ui
ne
. F
or
de
tai

le
d
inf
or
m
ati
on
ab
ou
t
ea
ch
of
th
es
e
dr
ug
s,
se
e
Ta
bl
e
3-
11
:
Dr
ug
s
us
ed
in
th
e
pr
op
hy
la
xi
s
of
m
a
ari
a.
Fo
r
inf
or
m
ati
on
th
at
ca
n

help you understand your doctor decide which of these drugs would be best for you, please see ChosingaDrugtoPreventMalaria.

Not
e: Chloroquine is NOT an effective anti-malarial drug in Côte d'Ivoire and should not be taken

to prevent malaria in this region. To find out more information on malaria through out the world, you can use the internet activ

e
C
D
C
m
al
ari
a
m
ap
. Yo
u
ca
n
se
ar
ch
or
br
o
w
se
co
un
tri
es
, cit
ie
s,
an
d pl
ac
e
na
m
es
fo
r
m
or
e
sp
ec
ifi
c
m
al
ari
a
ris
k
inf
or
m

ation
on
and
d
th
e
re
co
m
m
en
de
d
pr
ev
en
tio
n
m
ed
ici
ne
s
fo
r
th
at
ar
ea
.

**M
al
ar
ia
C
o
nt
ac
t
fo
r
H
e
al
th-
C
ar
e
Pr
o
vi
d
er
s**

For assistance with the diagnosis or management of

su

sp
ec
te
d
ca
se
s
of
m
al
ari
a,
ca
ll
th
e
C
D
C
M
al
ari
a
H
otl
in
e:
77
0-
48
8-
77
88
(M-
F,
9
a
m-
5
p
m
,
Ea
st
er
n
ti
m
e)
.
Fo
r
e
m
er
ge
nc

y
co
ns
ult
ati
on
af
te
r
ho
ur
s,
ca
ll
77
0-
48
8-
71
00
an
d
as
k
to
sp
ea
k
wi
th
a
C
D
C
M
al
ari
a
Br
an
ch
cli
ni
ci
an
.

**A
S
p
ec
ia
l
N
ot
e
a**

**b
o
ut
A
nt
i
m
al
ar
ia
l
Dr
u
gs**

Yo
u
sh
ou
ld
pu
rc
ha
se
yo
ur
an
ti
m
al
ari
al
dr
ug
s
be
fo
re
tr
av
el.
Dr
ug
s
pu
rc
ha
se
d
ov
er
se
as
m
ay
no
t

be
m
an
uf
ac
tu
re
d
ac
co
rd
in
g
to
U
nit
ed
St
at
es
st
an
da
rd
s
an
d
m
ay
no
t
be
ef
fe
cti
ve
.
Th
ey
al
so
m
ay
be
da
ng
er
ou
s,
co
nt
ai
n
co
un
te
rf

eit
m
ed
ic
ati
on
s
or
co
nt
a
mi
na
nt
s,
or
be
co
m
bi
na
tio
ns
of
dr
ug
s
th
at
ar
e
no
t
sa
fe
to
us
e.

H
al
of
an
tri
ne
(
m
ar
ke
te
d
as
H
alf
an
)
is

wi
de
ly
us
ed
ov
er
se
as
to
tr
ea
t
m
al
ari
a.
C
D
C
re
co
m
m
en
ds
th
at
yo
u
do
N
O
T
us
e
ha
lof
an
tri
ne
be
ca
us
e
of
se
rio
us
he
ar
t-
rel
at
ed
si
de

ef
fe
ct
s,
in
cl
ud
in
g
de
at
hs
.
Yo
u
sh
ou
ld
av
oi
d
us
in
g
an
ti
m
al
ari
al
dr
ug
s
th
at
ar
e
no
t
re
co
m
m
en
de
d
u
nl
es
s
yo
u
ha
ve
be
en
di

ag
no
se
d
wi
th
lif
e-
th
re
at
en
in
g
m
al
ari
a
an
d
no
ot
he
r
op
tio
ns
ar
e
im
m
ed
iat
el
y
av
ail
ab
le.

Fo
r
de
tai
le
d
inf
or
m
ati
on
ab
ou
t
th
es
e

an
ti
m
al
ari
al
dr
ug
s,
se
e
C
ho
os
in
g
a
Dr
ug
to
Pr
ev
en
t
M
al
ari
a.

**M
o
r
e
In
fo
r
m
at
io
n
A
b
o
u
t
M
al
a
ri
a
M
al
ar**

ia
is
al
w
ay
s
a
se
rio
us
di
se
as
e
an
d
m
ay
be
a
de
ad
ly
ill
ne
ss
.
H
u
m
an
s
ge
t
m
al
ari
a
fr
o
m
th
e
bit
e
of
a
m
os
qu
ito
inf
ec
te
d
wi
th

th
e
pa
ra
sit
e.
Pr
ev
en
t
thi
s
se
rio
us
di
se
as
e
by
se
ei
ng
yo
ur
he
alt
h-
ca
re
pr
ov
id
er
fo
r
a
pr
es
cri
pti
on
an
ti
m
al
ari
al
dr
ug
an
d
by
pr
ot
ec
tin

g
yo
ur
se
lf
ag
ai
ns
t
m
os
qu
ito
bit
es
(s
ee
be
lo
w)

.

Tr
av
el
er
s
to
m
al
ari
a
ris
k-
ar
ea
s
in
Côte
d'I
voire

,
in
cl
ud
in
g
inf
an
ts,
ch
ild
re
n,
an

d
fo
r
m
er
re
si
de
nt
s
of
Côte
d'I
voire
,
sh
ou
ld
ta
ke
on
e
of
th
e
an
ti
m
al
ari
al
dr
ug
s
lis
te
d
in
th
e
bo
x
ab
ov
e.

**S
y
m
p
t
o
m
s**

M
a
l
a
r
i
a
s
y
m
p
t
o
m
s
m
a
y
i
n
c
l
u
d
e

- f
e
v
e
r

- c
h
i
l
l
s

- s
w
e
a
t
s

- h
e
a
d
a
c
h
e

- b
o
d
y
a
c

h
e
s

- n
a
u
s
e
a
a
n
d
v
o
m
i
t
i
n
g

- f
a
t
i
g
u
e

M
al
ari
a
sy
m
pt
o
m
s
wi
ll
oc
cu
r
at
le
as
t
7
to
9
da
ys
af
te

r
be
in
g
bit
te
n
by
an
inf
ec
te
d
m
os
qu
ito
.
Fe
ve
r
in
th
e
fir
st
w
ee
k
of
tr
av
el
in
a
m
al
ari
a-
ris
k
ar
ea
is
un
lik
el
y
to
be
m
al
ari
a;
ho
w
ev

er
,
yo
u
sh
ou
ld
se
e
a
do
ct
or
ri
gh
t
a
w
ay
if
yo
u
de
ve
lo
p
a
fe
ve
r
du
ri
ng
yo
ur
tri
p.
M
al
ari
a
m
ay
ca
us
e
an
e
mi
a
an
d
ja
un
di
ce

.
M
al
ari
a
inf
ec
tio
ns
wi
th
Pl
as
m
od
iu
m
fal
ci
pa
ru
m
,
if
no
t
pr
o
m
ptl
y
tr
ea
te
d,
m
ay
ca
us
e
ki
dn
ey
fai
lu
re
,
co
m
a,
an
d
de
at
h.
D
es

pit
e
us
in
g
th
e
pr
ot
ec
tiv
e
m
ea
su
re
s
ou
tli
ne
d
ab
ov
e,
tr
av
el
er
s
m
ay
sti
ll
de
ve
lo
p
m
al
ari
a
up
to
a
ye
ar
af
te
r
re
tu
rn
in
g
fr
o
m

a
m
al
ari
ou
s
ar
ea
.
Yo
u
sh
ou
ld
se
e
a
do
ct
or
im
m
ed
iat
el
y
if
yo
u
de
ve
lo
p
a
fe
ve
r
an
yti
m
e
du
ri
ng
th
e
ye
ar
fol
lo
wi
ng
yo
ur
re
tu
rn

and
d
tel
l
th
e
ph
ys
ici
an
of
yo
ur
tr
av
el.

It
e
m
s
t
o
B
ri
n
g
W
it
h
Y
o
u

M
e
di
ci
n
es
y
o
u
m
ay
n
e
e
d:

•
T
h

e
p
r
e
s
c
r
i
p
t
i
o
n
m
e
d
i
c
i
n
e
s
y
o
u
t
a
k
e
e
v
e
r
y
d
a
y
.

M
a
k
e
s
u
r
e
y
o
u
h
a
v
e
e
n
o
u
g

h
t
o
l
a
s
t
d
u
r
i
n
g
y
o
u
r
t
r
i
p
. K
e
e
p
t
h
e
m
i
n
t
h
e
i
r
o
r
i
g
i
n
a
l
p
r
e
s
c
r
i
p
t
i
o
n
b
o

t
t
l
e
s
a
n
d
a
l
w
a
y
s
i
n
y
o
u
r
c
a
r
r
y-
o
n
l
u
g
g
a
g
e
.
B
e
s
u
r
e
t
o
f
o
l
l
o
w
s
e
c
u
r
i
t
y
g

u
i
d
e
l
i
n
e
s
<
i
c
o
n
o
u
t
r
.
p
n
g
>
,
i
f
t
h
e
m
e
d
i
c
i
n
e
s
a
r
e
l
i
q
u
i
d
s
.
•
A
n
t
i
m
a
l
a

r
i
a
l
d
r
u
g
s
,
i
f
t
r
a
v
e
l
i
n
g
t
o
a

m
a
l
a
r
i
a-
r
i
s
k
a
r
e
a

i
n
C
ô
t
e
d'
I
v
o
i
r
e
a
n
d
p

r
e
s
c
r
i
b
e
d
b
y
y
o
u
r
d
o
c
t
o
r
.

• **M
e
d
i
c
i
n
e
f
o
r
d
i
a
r
r
h
e
a**,

u
s
u
a
l
l
y
o
v
e
r-
t
h
e-

C
o
u
n
t
e
r
.

N
o
t
e:
S
o
m
e
d
r
u
g
s
a
v
a
i
l
a
b
l
e
b
y
p
r
e
s
c
r
i
p
t
i
o
n
i
n
t
h
e
U
S
a
r
e
i
l
l
e
g
a
l
i
n
o
t
h
e
r
c
o
u
n
t
r
i
e
s
.
C
h
e
c
k
t
h
e
U
S
D
e
p
a
r

t
m
en
t
of
St
at
e
Co
ns
ul
ar
In
fo
r
m
ati
on
S
he
et
s
<i
co
n_
ou
t.
pn
g
>
fo
r
th
e
co
un
tr
y(
s)
yo
u
int
en
d
to
vi
sit
or
th
e
e
m
ba
ss
y
or
co

ns
ul
at
e
fo
r
th
at
co
un
tr
y(
s)
.
If
yo
ur
m
ed
ic
ati
on
is
no
t
all
o
w
ed
in
th
e
co
un
tr
y
yo
u
wi
ll
be
vi
sit
in
g,
as
k
yo
ur
he
alt
h-
ca
re
pr
ov
id

er
to
wr
ite
a
let
te
r
on
of
fic
e
st
ati
on
er
y
st
ati
ng
th
e
m
ed
ic
ati
on
ha
s
be
en
pr
es
cri
be
d
fo
r
yo
u.

**Ot
h
er
it
e
m
s
y
o
u
m
ay
n
e
e
d:**

- I
o
d
i
n
e
t
a
b
l
e
t
s
a
n
d
p
o
r
t
a
b
l
e
w
a
t
e
r
f
i
l
t
e
r
s
t
o
p
u
r
i
f
y
w
a
t
e
r
i
n
b
o
t
t
l
e

d
w
a
t
e
r
i
s
n
o
t
a
v
a
i
l
a
b
l
e
. S
e
e

A
G
u
i
d
e
t
o
W
a
t
e
r
F
i
l
t
e
r
s
,

A
G
u
i
d
e
t
o
C
o
m
m

e
r
c
i
a
l
l
y-
B
o
t
t
l
e
d
W
a
t
e
r
a
n
d
O
t
h
e
r
B
e
v
e
r
a
g
e
s
,
a
n
d
S
a
f
e
F
o
o
d
a
n
d
W
a
t
e
r

f
o
r
m
o
r
e
d
e
t
a
i
l
e
d
i
n
f
o
r
m
a
t
i
o
n
.

• S
u
n
b
l
o
c
k
a
n
d
s
u
n
g
l
a
s
s
e
s
f
o
r
p
r
o
t
e
c

t
i
o
n
f
r
o
m
h
a
r
m
f
u
l
e
f
f
e
c
t
s
o
f
U
V
s
u
n
r
a
y
s
.
S
e
e

B
a
s
i
c
I
n
f
o
r
m
a
t
i
o
n
a
b
o
u
t

S
k
i
n
C
a
n
c
e
r

f
o
r
m
o
r
e
i
n
f
o
r
m
a
t
i
o
n
.

• A
n
t
i
b
a
c
t
e
r
i
a
l
h
a
n
d
w
i
p
e
s
o
r
a
l
c

o
h
o
l-
b
a
s
e
d
h
a
n
d
s
a
n
i
t
i
z
e
r
c
o
n
t
a
i
n
i
n
g
a
t
l
e
a
s
t
6
0
%
a
l
c
o
h
o
l
.

- To prevent insect/mosquito bites, bring:
 - Lightweight long-sleeved shirts, long pants, and a hat to wear outside, whenever possible.
 - Flying-insect spray to help clear rooms of mosquitoes. The product should contain a pyrethroid insecticide; these insecticides quickly kill flying insects, including mosquitoes.
 - Bed nets treated with permethrin, if you will not be sleeping in an air-conditioned or well-screened

room and will be in malaria-risk areas. For use and purchasing information, see [Insecticide Treated Bed Nets](#) on the CDC malaria site. Overseas, permethrin or another insecticide, deltamethrin, may be purchased to treat bed nets and clothes.

See
e
ot
he
r
su
gg
es
te
d
ov
er-
th
e-
co
un
te
r
m
ed
ic
ati
on
s
an
d
fir
st
ai
d
ite
m
s
fo
r
a
tr
av
el
er
s'
he
alt
h
kit
.
N
ot
e:
C
he

ck
th
e
Al
r
Tr
av
el
se
cti
on
<i
co
n_
ou
t.
pn
g
>
of
th
e
Tr
an
sp
or
ta
tio
n
Se
cu
rit
y
A
d
mi
ni
st
ra
tio
n
<i
co
n_
ou
t.
pn
g
>
w
eb
sit
e
fo
r
th
e

lat
es
t
inf
or
m
ati
on
ab
ou
t
air
po
rt
sc
re
en
in
g
pr
oc
ed
ur
es
an
d
pr
oh
ibi
te
d
ite
m
s.

To
p
of
Pa
ge

O
t
h
e
r
D
is
e
a
s
e
s
F

o
u
n
d
in
W
e
st
A
fr
ic
a

Risk can vary between countries within this region and



al
so
wi
th
in
a
co
u
nt
ry
;
th
e
q
ua
lit
y
of
in-
co
u
nt
ry
su
rv
ei
ll
an
ce
al
so
va
ri
es
.

Th
e
fol
lo
wi
ng

ar
e
di
se
as
e
ris
ks
th
at
mi
gh
t
af
fe
ct
tr
av
el
er
s;
thi
s
is
no
t
a
co
m
pl
et
e
lis
t
of
di
se
as
es
th
at
ca
n
be
pr
es
en
t.
En
vir
on
m
en
tal
co
nd
iti

on
s
m
ay
al
so
ch
an
ge
,
an
d
up
to
da
te
inf
or
m
ati
on
ab
ou
t
ris
k
by
re
gi
on
s
wi
thi
n
a
co
un
tr
y
m
ay
al
so
no
t
al
w
ay
s
be
av
ail
ab
le.

D
en

gu
e,
fil
ari
as
is,
le
is
h
m
an
ia
sis
,
an
d
on
ch
oc
er
ci
as
is
(ri
ve
r
bli
nd
ne
ss
)
ar
e
ot
he
r
di
se
as
es
ca
rri
ed
by
in
se
ct
s
th
at
al
so
oc
cu
r
in
W

es
t
Af
ric
a.
A
fri
ca
n
tr
yp
an
os
o
mi
as
is
(A
fri
ca
n
sl
ee
pi
ng
sic
kn
es
s)
h
as
in
cr
ea
se
d
in
Af
ric
a
(it
is
ep
id
e
mi
c
in
A
ng
ol
a,
D
e
m
oc
ra

tic
Re
pu
bli
c
of
th
e
Co
ng
o,
an
d
th
e
S
ud
an
;
an
d
hi
gh
ly
en
de
mi
c
in
Ca
m
er
oo
n,
Ce
nt
ral
Af
ric
an
Re
pu
bli
c,
C
ha
d,
Co
ng
o,
Côte
d'I
vo
ire
,
G

ui
ne
a,
M
oz
a
m
bi
qu
e,
U
ga
nd
a,
an
d
Ta
nz
an
ia
;
lo
w
le
ve
ls
ar
e
fo
un
d
in
m
os
t
of
th
e
ot
he
r
co
un
tri
es
)
an
d
an
in
cr
ea
se
in
tr
av
el

er
s
ha
s
be
en
no
te
d
si
nc
e
20
00
.
M
os
t
ha
d
ex
po
su
re
s
in
Ta
nz
an
ia
an
d
Ke
ny
a,
re
fle
cti
ng
co
m
m
on
to
ur
ist
ro
ut
es
.
Pr
ot
ec
tin
g
yo
ur

se
lf
ag
ai
ns
t
in
se
ct
bit
es
w
ill
he
lp
to
pr
ev
en
t
th
es
e
di
se
as
es
.

Sc
hi
st
os
o
mi
as
is,
a
pa
ra
sit
ic
inf
ec
tio
n,
ca
n
be
co
nt
ra
ct
ed
in
fr
es

h
w
at
er
in
thi
s
re
gi
on

.
D
o
no
t
s
wi
m
in
fr
es
h
w
at
er
(e
xc
ep
t
in
w
ell-
ch
lor
in
at
ed
s
wi
m
mi
ng
po
ol
s)
in
th
es
e
co
un
tri
es
.

Po

lio
o
ut
br
ea
ks
w
er
e
re
po
rt
ed
in
se
ve
ral
pr
ev
io
us
ly
po
lio-
fr
ee
co
un
tri
es
in
Ce
nt
ral
,
Ea
st
er
n,
an
d
W
es
te
rn
Af
ric
a
be
gi
nn
in
g
in
20
03
.

Po
lio
is
sti
ll
en
de
mi
c
in
Ni
ge
ria
.

Tr
av
el
er
s
to
ru
ral
ar
ea
s
of
W
es
t
Af
ric
a
m
ay
be
ex
po
se
d
to
L
as
sa
vir
us
,
w
hi
ch
is
sp
re
ad
th
ro
ug

h
co
nt
ac
t
wi
th
ra
t
ur
in
e
or
dr
op
pi
ng
s.
Pe
op
le
ca
n
be
ex
po
se
d
to
La
ss
a
vir
us
by
in
ha
lin
g
tin
y
pa
rti
cl
es
of
th
es
e
ex
cr
eti
on
s
in
th
e

air
,
es
pe
ci
all
y
if
th
ey
st
ay
in
tr
ad
iti
on
al
d
w
ell
in
gs
.
Tr
av
el
er
s
sh
ou
ld
av
oi
d
co
nt
ac
t
wi
th
ra
ts
an
d
sh
ou
ld
no
t
st
ay
in
d
w
ell
in

gs
th
at
m
ay
be
inf
es
te
d
wi
th
ra
ts.
H
u
m
an-
to-
hu
m
an
tr
an
s
mi
ssi
on
of
th
e
di
se
as
e
ha
s
be
en
de
sc
ri
be
d.
P
ro
pe
r
sa
fe
ty
pr
ec
au
tio
ns
s

ho
ul
d
be
fol
lo
w
ed
to
pr
ev
en
t
hu
m
an-
to-
hu
m
an
tr
an
s
mi
ssi
on
fr
o
m
inf
ec
te
d
pe
op
le.

Hi
gh
ly
pa
th
og
en
ic
av
ia
n
inf
lu
en
za
(H
5
N
1)
ha

s
be
en
fo
un
d
in
po
ult
ry
po
pu
lat
io
ns
in
se
ve
ral
co
un
tri
es
in
Af
ric
a.
Av
oi
d
all
di
re
ct
co
nt
ac
t
wi
th
bi
rd
s,
in
cl
ud
in
g
do
m
es
tic
po
ult
ry
(s
uc

h
as
ch
ic
ke
ns
an
d
du
ck
s)
an
d
wi
ld
bi
rd
s,
an
d
av
oi
d
pl
ac
es
su
ch
as
po
ult
ry
fa
r
m
s
an
d
bi
rd
m
ar
ke
ts
w
he
re
liv
e
bi
rd
s
ar
e
rai
se
d

or
ke
pt
.
Fo
r
a
cu
rr
en
t
lis
t
of
co
un
tri
es
re
po
rti
ng
ou
tb
re
ak
s
of
H
5
N
1
a
m
on
g
po
ult
ry
an
d/
or
wi
ld
bi
rd
s,
vi
e
w
up
da
te
s
fr
o
m

th
e
W
orl
d
Or
ga
ni
za
tio
n
fo
r
A
ni
m
al
H
ea
lth
(O
IE
)<
ic
on
_o
ut
.p
ng
>,
an
d
fo
r
to
tal
nu
m
be
rs
of
co
nfi
r
m
ed
hu
m
an
ca
se
s
of
H
5
N
1

vir
us
by
co
un
tr
y
se
e
th
e
W
orl
d
H
ea
lth
Or
ga
ni
za
tio
n
(
W
H
O)
Av
ia
n
In
flu
en
za
w
eb
sit
e
<i
co
n_
ou
t.
pn
g
>.

M
an
y
co
un
tri
es
in
thi
s

re
gi
on
ha
ve
hi
gh
in
ci
de
nc
e
ra
te
s
of
t
ub
er
cu
lo
sis
a
nd
hi
gh
H
IV
p
re
va
le
nc
e
ra
te
s.

To
p
of
Pa
ge

S
t
a
yi
n
g
H
e
al
t

h
y
D
u
r
i
n
g
Y
o
u
r
T
r
i
p
P
r
e
v
e
n
t
In
s
e
c
t
Bi
t
e
s

M
an
y
di
se
as
es
,
lik
e
m
a
ari
a
an
d
de

ng
ue

,
ar
e
sp
re
ad
th
ro
ug
h
in
se
ct
bit
es

.
O
ne
of
th
e
be
st
pr
ot
ec
tio
ns
is
to
pr
ev
en
t
in
se
ct
bit
es
by
:

- U
s
i
n
g
i
n
s
e
c
t
r

e
p
e
l
e
n
t
(
b
u
g
s
p
r
a
y
)
w
i
t
h
3
0
%-
5
0
%
D
E
E
T
.
P
i
c
a
r
i
d
i
n
,
a
v
a
i
l
a
b
l
e
i
n
7
%
a
n
d

1
5
%
c
o
n
c
e
n
t
r
a
t
i
o
n
s
,
n
e
e
d
s
m
o
r
e
f
r
e
q
u
e
n
t
a
p
p
l
i
c
a
t
i
o
n
.T
h
e
r
e
i
s
l
e
s
s
i

n
f
o
r
m
a
t
i
o
n
a
v
a
i
l
a
b
l
e
o
n
h
o
w
e
f
f
e
c
t
i
v
e
p
i
c
a
r
i
d
i
n
i
s
a
t
p
r
o
t
e
c
t
i
n
g
a
g
a

i
n
s
t
a
l
l
o
f
t
h
e
t
y
p
e
s
o
f
m
o
s
q
u
i
t
o
e
s
t
h
a
t
t
r
a
n
s
m
i
t
m
a
l
a
r
i
a
.

• W
e
a
r
i
n
g
l

o n g- s l e e v e d s h i r t s , l o n g p a n t s , a n d a h a t o u t d o o r s .

• R e m a i n i n g i n d o o

r
s
i
n
a
s
c
r
e
e
n
e
d
o
r
a
i
r-
c
o
n
d
i
t
i
o
n
e
d
a
r
e
a
d
u
r
i
n
g
t
h
e
p
e
a
k
b
i
t
i
n
g
p
e
r
i
o
d
f

o
r
m
a
l
a
r
i
a
(
d
u
s
k
a
n
d
d
a
w
n
)
.

•
S
l
e
e
p
i
n
g
i
n
b
e
d
s
c
o
v
e
r
e
d
b
y
n
e
t
s
t
r
e
a
t
e
d

w
i
t
h
p
e
r
m
e
t
h
r
i
n
,
i
f
n
o
t
s
l
e
e
p
i
n
g
i
n
a
n
a
i
r-
c
o
n
d
i
t
i
o
n
e
d
o
r
w
e
l
l-
s
c
r
e
e
n
e

d
r
o
o
m
.

• S
p
r
a
y
i
n
g
r
o
o
m
s
w
i
t
h
p
r
o
d
u
c
t
s
e
f
f
e
c
t
i
v
e
a
g
a
i
n
s
t
f
l
y
i
n
g
i
n
s
e

cts, such as those sections containing
information regarding pyrethroid.

For detailed information about insect repellent

us
e,
se
e
In
se
ct
an
d
Ar
th
ro
po
d
Pr
ot
ec
tio
n.

P
r
e
v
e
n
t
A
n
i
m
a
l
B
i
t
e
s
a
n
d
S
c
r
a
t
c
h
e
s

Di
re
ct

co
nt
ac
t
wi
th
an
im
al
s
ca
n
sp
re
ad
di
se
as
es
lik
e
ra
bi
es
or
ca
us
e
se
rio
us
inj
ur
y
or
ill
ne
ss
.
It
is
im
po
rt
an
t
to
pr
ev
en
t
an
im
al
bit
es
an

d
sc
ra
tc
he
s.

- B
e
s
u
r
e
y
o
u
a
r
e
u
p
t
o
d
a
t
e
w
i
t
h
t
e
t
a
n
u
s
v
a
c
c
i
n
a
t
i
o
n
.

- D
o
n
o
t

t
o
u
c
h
o
r
f
e
e
d
a
n
y
a
n
i
m
a
l
s
,
i
n
c
l
u
d
i
n
g
d
o
g
s
a
n
d
c
a
t
s
.E
v
e
n
a
n
i
m
a
l
s
t
h
a
t

o
o
k
l
i
k
e
h
e
a
l
t
h
y
p
e
t
s
c
a
n
h
a
v
e
r
a
b
i
e
s
o
r
o
t
h
e
r
d
i
s
e
a
s
e
s
.

•
H
e
l
p
c
h
i
l
d
r

e
n
s
t
a
y
s
a
f
e
b
y
s
u
p
e
r
v
i
s
i
n
g
t
h
e
m
c
a
r
e
f
u
l
l
y
a
r
o
u
n
d
a
l
l
a
n
i
m
a
l
s
.

•
I
f
y
o

u
a
r
e
b
i
t
t
e
n
o
r
s
c
r
a
t
c
h
e
d
/
w
a
s
h
t
h
e
w
o
u
n
d
w
e
l
l
w
i
t
h
s
o
a
p
a
n
d
w
a
t
e
r
a
n
d

g

o
t
o
a
d
o
c
t
o
r
r
i
g
h
t
a
w
a
y
.

• A
f
t
e
r
y
o
u
r
t
r
i
p
, b
e
s
u
r
e
t
o
t
e
l
l
y
o
u
r
d
o
c
t
o
r

o
r
s
t
a
t
e
h
e
a
l
t
h
d
e
p
a
r
t
m
e
n
t
i
f
y
o
u
w
e
r
e
b
i
t
t
e
n
o
r
s
c
r
a
t
c
h
e
d
d
u
r
i
n
g
t
r
a
v

e
l
.

Fo
r
m
or
e
inf
or
m
ati
on
ab
ou
t
ra
bi
es
an
d
tr
av
el,
se
e
th
e
Ra
bi
es
ch
ap
te
r
of
th
e
Ye
llo
w
Bo
ok
o
r
C
D
C'
s
Ra
bi
es
ho
m
ep
ag

e.
Fo
r
m
or
e
inf
or
m
ati
on
ab
ou
t
ho
w
to
pr
ot
ec
t
yo
ur
se
lf
fr
o
m
ot
he
r
ris
ks
rel
at
ed
to
an
im
al
s,
se
eA
ni
m
al-
As
so
ci
at
ed
H
az
ar
ds
.

B
e
C
a
r
e
f
u
l
a
b
o
u
t
F
o
o
d
a
n
d
W
a
t
e
r

Di
se
as
es
fr
o
m
fo
od
an
d
w
at
er
ar
e
th
e
le
ad
in
g
ca
us
e

of
ill
ne
ss
in
tr
av
el
er
s.
Fo
llo
w
th
es
e
tip
s
fo
r
sa
fe
ea
tin
g
an
d
dr
in
ki
ng
:

- Wash your hands often with

o
a
p
a
n
d
w
a
t
e
r
,
e
s
p
e
c
i
a
l
l
y
b
e
f
o
r
e
e
a
t
i
n
g
.

I
f
s
o
a
p
a
n
d
w
a
t
e
r
a
r
e
n
o
t
a
v
a

i
l
a
b
l
e
,
u
s
e
a
n
a
l
c
o
h
o
l-
b
a
s
e
d
h
a
n
d
g
e
l
(
w
i
t
h
a
t
l
e
a
s
t
6
0
%
a
l
c
o
h
o
l
)
.

•
D
r

i
n
k
o
n
l
y
b
o
t
t
l
e
d
o
r
b
o
i
l
e
d
w
a
t
e
r
,
o
r
c
a
r
b
o
n
a
t
e
d
(
b
u
b
b
l
y
)
d
r
i
n
k
s
i
n
c
a
n

s
o
r
b
o
t
t
l
e
s
.

A
v
o
i
d
t
a
p
w
a
t
e
r
/
f
o
u
n
t
a
i
n
d
r
i
n
k
s
/
a
n
d
i
c
e
c
u
b
e
s
.

I
f
t
h
i

s
i
s
n
o
t
p
o
s
s
i
b
l
e
,
l
e
a
r
n
h
o
w
t
o

m
a
k
e
w
a
t
e
r
s
a
f
e
r
t
o
d
r
i
n
k
.

•
D
o
n
o
t
e
a
t
f

o
o
d
p
u
r
c
h
a
s
e
d
f
r
o
m
s
t
r
e
e
t
v
e
n
d
o
r
s
.

• M
a
k
e
s
u
r
e
f
o
o
d
i
s
f
u
l
l
y
c
o
o
k
e
d
.

• A
v
o
i
d
d
a
i
r
y
p
r
o
d
u
c
t
s
,
u
n
l
e
s
s
y
o
u
k
n
o
w
t
h
e
y
h
a
v
e
b
e
e
n
p
a
s
t
e
r
i
z
e
d
.

Di

se
as
es
fr
o
m
fo
od
an
d
w
at
er
of
te
n
ca
us
e
vo
mi
tin
g
an
d
di
ar
rh
ea
.
M
ak
e
su
re
to
br
in
g
di
ar
rh
ea
m
ed
ici
ne
wi
th
yo
u
so
th
at
yo
u
ca

n
tr
ea
t
mi
ld
ca
se
s
yo
ur
se
lf.

A
v
oi
d
In
j
u
ri
e
s

Ca
r
cr
as
he
s
ar
e
a
le
ad
in
g
ca
us
e
of
in
ju
ry
a
m
on
g
tr
av
el
er
s.
Pr

ot
ec
t
yo
ur
se
lf
fr
o
m
th
es
e
inj
ur
ie
s
by
:

- N
o
t
d
r
i
n
k
i
n
g
a
n
d
d
r
i
v
i
n
g
.

- W
e
a
r
i
n
g
y
o
u
r
s

e
a
t
b
e
l
t
a
n
d
u
s
i
n
g
c
a
r
s
e
a
t
s
o
r
b
o
o
s
t
e
r
s
e
a
t
s
i
n
t
h
e
b
a
c
k
s
e
a
t
f
o
r
c
h
i
l
d
r

e
n
.

- F
o
l
l
o
w
i
n
g
l
o
c
a
l
t
r
a
f
f
i
c
l
a
w
s
.

- W
e
a
r
i
n
g
h
e
l
m
e
t
s
w
h
e
n
y
o
u
r
i
d
e
b

i
k
e
s
,
m
o
t
o
r
c
y
c
l
e
s
,
a
n
d
m
o
t
o
r
b
i
k
e
s
.

•
N
o
t
g
e
t
t
i
n
g
o
n
a
n
o
v
e
r
l
o
a
d
e
d
b
u

s
o
r
m
i
n
i-
b
u
s
.

• H
i
r
i
n
g
a
l
o
c
a
l
d
r
i
v
e
r
,
w
h
e
n
p
o
s
s
i
b
l
e
.

• A
v
o
i
d
i
n
g
n
i
g
h

t
d
r
i
v
i
n
g
.

Other Health Tips

- To avoid infections such as HIV and

d
v
i
r
a
l
h
e
p
a
t
i
t
i
s
d
o
n
o
t
s
h
a
r
e
n
e
e
d
l
e
s
f
o
r
t
a
t
t
o
s
/
b
o
d
y
p
i
e
r
c
i
n
g
/
o
r
i

n
j
e
c
t
i
o
n
s
.

• T
o
r
e
d
u
c
e
t
h
e
r
i
s
k
o
f
H
I
V
a
n
d
o
t
h
e
r
s
e
x
u
a
l
l
y
t
r
a
n
s
m
i
t
t
e
d

d
i
s
e
a
s
e
s
a
l
w
a
y
s
u
s
e
l
a
t
e
x
c
o
n
d
o
m
s
.

• T
o
p
r
e
v
e
n
t
f
u
n
g
a
l
a
n
d
p
a
r
a
s
i
t
i
c

i
n
f
e
c
t
i
o
n
s
,
k
e
e
p
f
e
e
t
c
l
e
a
n
a
n
d
d
r
y
,
a
n
d
d
o
n
o
t
g
o
b
a
r
e
f
o
o
t
,
e
s
p
e
c
i
a
l
l

y
o
n
b
e
a
c
h
e
s
w
h
e
r
e
a
n
i
m
a
l
s
m
a
y
h
a
v
e
d
e
f
e
c
a
t
e
d
.

To
p
of
Pa
ge

A
ft
e
r
Y
o
u
R
e

t u r n H o m e

If
yo
u
ar
e
no
t
fe
eli
ng
w
ell
,
yo
u
sh
ou
ld
se
e
yo
ur
do
ct
or
an
d
m
en
tio
n
th
at
yo
u
ha
ve
re
ce
ntl
y
tr
av
el
ed
.

Al
so
tel
l
yo
ur
do
ct
or
if
yo
u
w
er
e
bit
te
n
or
sc
ra
tc
he
d
by
an
an
im
al
w
hil
e
tr
av
eli
ng
.

If
yo
u
ha
ve
vi
sit
ed
a
m
al
ari
a-
ris
k
ar
ea
,
co

nti
nu
e
ta
ki
ng
yo
ur
an
ti
m
al
ari
al
dr
ug
fo
r
4
w
ee
ks
(d
ox
yc
yc
lin
e
or
m
efl
oq
ui
ne
)
or
se
ve
n
da
ys
(a
to
va
qu
on
e/
pr
og
ua
nil
)
af
te
r
le
av

in
g
th
e
ris
k
ar
ea
.

M
al
ar
ia
is
al
w
ay
s
a
se
ri
o
u
s
di
se
as
e
a
n
d
m
ay
b
e
a
d
e
a
dl
y
ill
n
es
s.
If
yo
u
be
co
m
e
ill
wi
th
a

fe
ve
r
or
flu-
lik
e
ill
ne
ss
elt
he
r
w
hil
e
tr
av
eli
ng
in
a
m
al
ari
a-
ris
k
ar
ea
or
af
te
r
yo
u
re
tu
rn
ho
m
e
(f
or
up
to
1
ye
ar
,
yo
u
sh
ou
ld
se
ek

**i
m
m
e
d
i
a
t
e**
m
ed
ic
al
at
te
nti
on
an
d
sh
ou
ld
tel
l
th
e
ph
ys
ici
an
yo
ur
tr
av
el
hi
st
or
y.

**I
m
p
o
r
t
a
n
t
N
o
t
e:** T
hi
s
d
oc
u
m
e
nt

is not a complete medical guideline for travellers to this region. Consult with your doctor for specific information

at
ion
re
la
te
d
to
y
o
ur
n
e
e
d
s
a
n
d
y
o
ur
m
e
di
ca
l
hi
st
or
y;
re
co
m
m
e
n
d
at
ion
s
m
a
y
di
ff
er
fo
r
pr
e
gn
a
nt
wo
m

en, young children, and persons who have chronic medical conditions.

To
p
of
Pa
ge

M
a
p
Di
sc
la
i
m

er
-
Th
e
bo
un
da
rie
s
an
d
na
m
es
sh
o
w
n
an
d
th
e
de
si
gn
ati
on
s
us
ed
on
m
ap
s
do
no
t
im
pl
y
th
e
ex
pr
es
si
on
of
an
y
op
ini
on
w
ha
ts
oe

ve
r
on
th
e
pa
rt
of
th
e
Ce
nt
er
s
fo
r
Di
se
as
e
Co
nt
rol
and
Pr
ev
en
tio
n
co
nc
er
ni
ng
th
e
le
ga
l
st
at
us
of
an
y
co
un
tr
y,
te
rri
to
ry
,
cit
y

or
ar
ea
or
of
its
au
th
ori
tie
s,
or
co
nc
er
ni
ng
th
e
de
li
mi
ta
tio
n
of
its
fr
on
tie
rs
or
bo
un
da
rie
s.
A
pp
ro
xi
m
at
e
bo
rd
er
lin
es
fo
r
w
hi
ch
th
er
e

m
ay
no
t
ye
t
be
ful
l
ag
re
e
m
en
t
ar
e
ge
ne
ral
ly
m
ar
ke
d.

Text size:

S
M
L
XL

Email page
Print page
Bookmark and share

Add this to...

Favorites
[Del.icio.us](#)

Digg
Facebook
Google Bookmarks
Yahoo MyWeb

Get email updates

Contact Us:

Centers for Disease Control and Prevention
1600 Clifton Rd
Atlanta, GA 30333
800-CDC-INFO
(800-232-4636)
TTY: (888) 232-6348
New Hours of Operation
8am-8pm ET/Monday-Friday
Closed Holidays
cdcinfo@cdc.gov

Email page
Print page
Bookmark and share

Add this to...
Favorites
[Del.icio.us](#)
Digg
Facebook
Google Bookmarks
Yahoo MyWeb
Get email updates

Page created: February 22, 2011
Page last updated: November 03, 2011
Page last reviewed: September 29, 2011

Content source: Centers for
Disease Control and Prevention
National Center for Emerging and Zoonotic Infectious
Diseases (NCEZID)
Division of Global Migration and
Quarantine (DGMQ)

Travelers' HealthAll CDC Topics
Search The CDCChoose a topic aboveSearch Button

On Nov 9, 2011, at 2:53 PM, Jeffrey Epstein wrote:

find out about disease shots for ivory coast.
rasseck tells me malaria is there

--

**

The information contained in this communication is confidential, may be attorney-client privileged, may constitute inside information, and is intended only for the use of the addressee. It is the property of Jeffrey Epstein

Unauthorized use, disclosure or copying of this communication or any part thereof is strictly prohibited and may be unlawful. If you have received this communication in error, please notify us immediately by return e-mail or by e-mail to jeevacation@gmail.com, and destroy this communication and all copies thereof, including all attachments. copyright -all rights reserved