



We have our video install guides on our website and on youtube.com. Also feel free to call or email us if you have any questions 1-855-457-5683 [information@lovethedrive.com](mailto:information@lovethedrive.com)

# Mustang 1994 to 2004

## Love The Drive Wind Deflector

### Install Guide

**Step 1:** When your wind deflector was shipped to you the front brackets needed to be rotated inwards so it would fit into the box. You will need to remove the three screws from the plastic on each side. You do not have to remove the fourth screw in the bracket.



Turn the bracket so it faces out. (See the photo below). Once the bracket is in the correct position, replace the three screws. Now, repeat this on the other side of the wind deflector.



**Step 2:** You are now ready to install your wind deflector. With the top down, start by placing your hand underneath the front seatbelt strap.



**Step 2 Cont:** Pull the seat belt strap up to show the hole where the front bracket will sit.



**Step 3:** Lower then front bracket on one side into the hole and release the seat belt strap. Repeat these steps on the other side.



**Step 3 Cont:** It is very important that the bracket sits UNDER the seat belt strap.



**IMPORTANT: NEVER ALLOW THE BRACKET TO SIT ON TOP OF THE SEAT BELT AS SHOWN HERE.**




**Straps:** There are four straps that come with your wind deflector. Two with silver hooks for the front and two with black snap hooks for the rear.

**Step 4:** The front silver hooks attach to the bottom of the trim panel behind the seat belt retractor on the floor. Then it clips into the strap above, near the front bracket.



**Step 4 Cont:** The rear black snap hooks attach to the bottom of the trim panel beside the back seat. There is a small square cut out for the hook. Insert the black snap hook here.



**Step 4 Cont:** The black snap hook straps then clip into the strap attached at the rear bracket.



**PLEASE NOTE:** If you have a Mustang that was built after 2002 you will have a child safety anchoring system which you can use to lock the black snap hooks into instead. Notice the small baby seat logos above where the anchors are located.



You are now ready to...



**If you have any questions or comments please  
call 1-855-457-5683 or email [information@lovethedrive.com](mailto:information@lovethedrive.com)  
[www.lovethedrive.com](http://www.lovethedrive.com)**